

[illegible]

## PLAYING CARDS

### TECHNICAL FIELD

The present invention relates to a novel deck of playing cards, and more specifically, the present invention relates to a novel deck of playing cards made up of at least 104 cards, divided into four different suit types, containing 26 cards in each suit numbered either 2 through 10, or containing the letters A, K, Q, or J. In order to account for the 26 different cards, there are two of each numbered and lettered cards, one is labeled the top card portion and the other is labeled the bottom card portion. The top and bottom card portions are configured such that, when the corresponding top and bottom cards are placed adjacent to each other with the top card above or on top of the bottom card, a single card is created similar to those found in a standard deck of cards, however the newly created card is approximately twice the size of the standard card.

### BACKGROUND OF THE INVENTION

Playing cards have been in existence for many years. Although there are many types of playing cards that are played in many different types of games, the most common type of playing cards consists of 52 cards, divided out into four different suits (namely Spades, Hearts, Diamonds and Clubs) which is printed or indicated on one side or the face of each card. In the standard deck, each of the four suits consists of 13 cards, numbered either

two through ten, or lettered A (Ace), K (King), Q (Queen), or J (Jack), which is also printed or indicated on each card. Thus each card will contain on its face a suit indication along with a number or letter indication. The King, Queen, and Jack usually also include some sort of design on the face of the card, and may be referred to as picture cards.

In some cases, the 52 card standard playing deck also contains a number of extra cards, sometimes referred to as jokers, that may have some use or meaning depending on the particular game being played with the deck.

Many different games can be played using a standard 52 card deck. The game being played with the standard deck of cards may include other items, such as game boards, chips, etc., or the game being played may only need the playing card deck itself. In most of the games played using a standard deck of cards, a value is assigned to each card. The value may differ for different games. Usually, the card value begins with the number two card as the lowest value and increases as the numbers increase through ten, followed in order of increasing value with the Jack, Queen, King and Ace. In some games the Ace may have a lower value than the two, and in games where a particular card is determined to be wild, or have any value, that card may have the greatest value of all. For example, in card games where deuces, or twos, are wild, the player holding a playing card containing a two can use that two as any other card, such that a nine and a two would be the equivalent of two nines.

Further, the four different suits indicated on the cards may have a particular value depending on the game. Under game rules where one suit, i.e. Spades, has more value than another suit, i.e. Hearts, the seven of Spades may have more value than the seven of Hearts.

5           It is easy to visualize that using the different card quantity and suit values, many different games can be played. In certain games, it is the combination of cards that one player obtains that determines whether or not that player has defeated the other player or players. Usually, the more difficult the combination is to obtain, the more value the combination has, and the player who obtains the more difficult combination (also taking into account the value of the cards) wins the game. For instance in the game of Poker, each player may ultimately receive five cards. The player who obtains three cards having similar numbers on their face, i.e. the four of Hearts, four of Diamonds and four of Clubs, will defeat the player having only two cards with the same numerical value, i.e. the King of Spades and the King of Hearts. However, the player with five cards that all contain Clubs, commonly known as a flush, will defeat the player with the same three of a kind described above.

10  
15  
20           It is easy to see that many different games can be played using the increasing value of the cards and the different combination of those cards. However, there are a limited number of combinations that can be created with an ordinary deck of playing cards.

## SUMMARY OF THE INVENTION

The present invention greatly increases the number of combinations that can be created without increasing the number of suits in a deck nor the different values of each card, which, over the years, have become well known by card players. The present invention doubles the size of the standard deck of playing cards from 52 to 104 cards (not including jokers). The deck still contains only four suits (usually Spades, Hearts, Diamonds and Clubs), and still contains cards with either a numerical value of two through ten, or a letter value of A (ace), K (King), Q (Queen) or J (Jack). However, each card is divided into two separate cards, containing different location indicators such as bottom and top, or left and right. For example, the present invention has two three of Diamonds, the top three of Diamonds and the bottom three of Diamonds. When these two different three of Diamonds (top and bottom) are placed together or adjacent to each other with the top three of Diamonds above the bottom three of Diamonds, a complete three of Diamonds is formed.

Players using the present invention can play additional games without having to remember new suits or new card values. Many new combinations of cards can now be formed using the present invention. For example, a player may have two cards containing the value nine, the top nine of Clubs and the bottom nine of Diamonds. Another player may also have a pair of nines, the top nine of Spades and the bottom nine of Spades. Depending on the rules of the game, the second player's combination of top and bottom of the same nine card, may defeat the first player's combination of nines.

Other features and advantages of the present invention will be apparent to those having ordinary skill in the art based on the accompanying drawings and description.

5

## BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a front view of a single playing card from a standard deck of playing cards;

FIG. 2A is a front view of a single playing card embodying the present invention;

10

FIG. 2B is a back view of a single playing card embodying the present invention;

FIG. 3 is a front view of a single playing card embodying the present invention;

15

FIG. 4 is a front view of a two playing cards embodying the present invention, placed adjacent to each other;

FIG. 5 is a front view of a two playing cards embodying the present invention, placed adjacent to each other;

FIG. 6 is a front view of a two playing cards embodying the present invention, placed adjacent to each other.

20

## DETAILED DESCRIPTION OF THE INVENTION

The front view of a standard playing card 10 from a standard deck of playing cards is shown in Figure 1. The standard playing card 10 is made of a piece of paper or cardboard that is imprinted with a design on the front and back of the card and then laminated for strength. Each standard playing card is approximately 2.5 inches by 3.5 inches, thereby allowing a card player to comfortably hold a number of cards in his or her hand. However, card sizes may vary; smaller cards for younger people and smaller or larger cards for novelty reasons.

Each standard playing card contains a design on the back side of the card (not shown) which is similar to the design on the back side of all of the other cards, such that each card is indistinguishable from the other cards when viewed from the back side. Further, each standard playing card contains a value or quantity 12, either from two through ten, or a letter, A, K, Q, or J, representing Ace, King, Queen, or Jack, respectively. In the example shown in Figure 1, the quantity is six.

Each standard playing card also contains a suit 14, either Spades, Hearts, Diamonds, or Clubs. Each suit has a separate insignia thereby making it easier for the player using the cards to know which suit is indicated on each card. In the example shown in Figure 1, the suit indicated is a Heart.

Therefore the playing card indicated in Figure one is the six of Hearts.

Further, for the cards numbered two through ten, and also for the cards containing the letter A, the number value of the playing card is

indicated on the card by the similar number of suit indicators 16. In Figure 1, there are six large Hearts to indicate that the card value is the six of Hearts (not including the smaller suit indicators at opposing corners of the card).

The four of Clubs would contain four large Clubs on its face.

5

Since each suit contains a card with either the number two through ten, or the letters A, K, Q, or J, there are 13 cards per suit. Since there are four suits, a standard deck of cards contains 52 cards. In some card decks extra cards are included for particular game rules. These extra cards are well known as jokers.

10

An embodiment of the present invention is shown in Figure 2A which is a front view of a playing card 20 in accordance with the present invention. The playing card 20 which is similar to a playing card in a standard deck is made up of paper, cardboard or some other material that can be printed on and subsequently laminated for strength.

15

Figure 2B shows the design printed on the back side of the playing card shown in 2A. The design is similar to the design on the back of all of the other cards in the deck, thereby making all of the cards in the deck indistinguishable from the others when viewed from the back side. The design shown in Figure 2B is merely an example. There are many different designs that could be used, as long as each card contained a similar design.

20

The playing card 20 in Figure 2A is made to the same approximate size as the playing card in a standard deck, 2.5 inches by 3.5 inches. However, the size of the card is not the essence of the present invention and therefore cards of other sizes can be made under the present invention.



The playing card 20 in the present invention, similar to a playing card in the standard deck, has a quantity or value 22 either a number between two and ten, inclusive, or a letter such as A, K, Q, or J. The card 20 shown in Figure 2A is a three.

Also similar to a playing card in a standard deck, the playing card 20 in the present invention has a suit 24 indicated on its face. The suit 24 can be one of four different suits, Spades, Hearts, Diamonds, or Clubs. The card shown in Figure 2A indicates a Club suit. Therefore, the card 20 shown in Figure 2A is the three of Clubs.

The playing card 20 card may have an indication of location 26 displayed on the face of the card, such as bottom, to help the player understand which part of the card he or she may be holding. This location indicator 26 can be any indication, such as bottom, top, left, right, A, B, etc. such that the playing card can be placed adjacent to another card with the corresponding indicator, for example, Bottom with top, right with left, A with B, or even A with A, such that, as explained further below and in Figures 4 and 5, the playing card formed by the combination of the two cards adjacent to each other is the same as a standard playing card, but approximately twice the size. Further, the location indicator 26 may be color coded (not shown), for example, all top cards are yellow, and all bottom cards are purple, to further distinguish the different cards making the players recognition easier and faster.

Figure 2A differs from most standard playing cards in that the card 20 does not display the number of suit indications equal to the quantity of the

playing card. For example, the three of Clubs in a standard deck of playing cards would display the number 3 (usually on two opposing corners of the four corners of the card), with an indication of the particular suit, a Club, underneath the number 3. The three of Clubs would also display three Clubs in the middle of the playing card.

The present invention does not display the quantity of the particular suit that the card indicates, but instead, half the quantity of the particular suit is displayed. For example, the three of Clubs in the present invention displays only one and one half Clubs 28 on its face (not including the smaller indication of suit 24 underneath the number three 22. The quantity of the particular suit 28 is displayed in such a manner that when another playing card having the same quantity (regardless of suit) is placed next to or adjacent to the first card, a complete playing card, approximately twice the size of a standard playing card is formed.

Figure 3 shows a playing card 20 having the number five 22 as the quantity indicator, Hearts 24 is the suit indicator, two and one half Hearts 28 are displayed on the face of the card such that the card could be placed adjacent to another card having the quantity five thereby making a complete card with the combination, and top as the location indicator 26. Utilizing the 13 different quantities, the four different suit types, and the two location indicators, a total of 104 cards can be created without adding any new suits or quantities to a standard deck.

Figure 4 shows two playing cards 20 placed adjacent to each other in such a manner as to create a combination that is similar to a standard

playing, but approximately twice the size. The combination of cards 20 has two quantity indicators 22 at two of the corners of the combination of cards 20 (the number two) similar to a standard playing card, two suit indicators 24 underneath the quantity indicators (Hearts) similar to a standard playing card, and a display on the face of the combination of the two cards of the quantity of the particular suit 28 (the two large Hearts) similar to a standard playing card. These elements combined together make a combination of two adjacent playing cards 20 that are similar to a single playing card in a standard deck of cards, but approximately twice the size.

Figures 5 and 6 show a second and third combination in which the two playing cards 20 placed adjacent to each other have the same quantity 22 but contain different suits 24. In Figure 5, the suits are different, but the colors of the suits, black for Spades and Clubs, is the same. In Figure 6, the suits are different and the color of the suits, black for Spades and red for Hearts, is different.

In certain game play, a combination of same cards (quantity and suit) with different location indicators (Figure 4) may have greater value than a combination of cards in which the quantity is the same, but the suit indicators are of different type but same color (Figure 5), which may in turn have a greater value than a combination of cards in which the quantity is the same, but the suit indicators are different and the color of the suits are different (Figure 6). Names may be given to the combination described above such as Solid for Figure 4, Soft for Figure 5, and Weak for Figure 6.

In another embodiment, cards can be configured to display only one quarter of a standard playing card such that, similar to the description above, each card would have a location indicator such that when the four cards are placed together a standard playing card is created by the combination except the new card would be four times the size of a standard playing card. Examples of location indicators would be top right, top left, bottom right, bottom left, A, B, C, D, etc.

It can easily be seen that many variations of common games can be played with the present invention. For example in Poker, a pair of Aces having the same suit might be a stronger hand than a pair of Aces having different suits.

Also, many games can be derived in which the present invention is used along with game boards and other pieces. For example, a game in which each player receives a certain number of cards and colored chips. The players attempt to put their cards down in combinations that, based on the combinations, allow them to place a certain number of chips in a predetermined location. The players object is to place his or her chips in a row to get points. A Solid combination allows the player to place three chips, a Soft combination allows the player to place two chips and a Weak combination allows a player to place one chip. However, one chip may be all that is needed to block another players row.

The foregoing detailed description of the invention is intended to be illustrative and not intended to limit the scope of the invention. Changes and modifications are possible with respect to the foregoing description, and it is

項目	1990年	1991年	1992年	1993年	1994年	1995年	1996年	1997年	1998年	1999年	2000年	2001年	2002年	2003年	2004年	2005年	2006年	2007年	2008年	2009年	2010年	2011年	2012年	2013年	2014年	2015年	2016年	2017年	2018年	2019年	2020年	2021年	2022年	2023年	2024年	2025年	2026年	2027年	2028年	2029年	2030年	2031年	2032年	2033年	2034年	2035年	2036年	2037年	2038年	2039年	2040年	2041年	2042年	2043年	2044年	2045年	2046年	2047年	2048年	2049年	2050年	2051年	2052年	2053年	2054年	2055年	2056年	2057年	2058年	2059年	2060年	2061年	2062年	2063年	2064年	2065年	2066年	2067年	2068年	2069年	2070年	2071年	2072年	2073年	2074年	2075年	2076年	2077年	2078年	2079年	2080年	2081年	2082年	2083年	2084年	2085年	2086年	2087年	2088年	2089年	2090年	2091年	2092年	2093年	2094年	2095年	2096年	2097年	2098年	2099年	2100年																																																								
人口	120,000,000	121,000,000	122,000,000	123,000,000	124,000,000	125,000,000	126,000,000	127,000,000	128,000,000	129,000,000	130,000,000	131,000,000	132,000,000	133,000,000	134,000,000	135,000,000	136,000,000	137,000,000	138,000,000	139,000,000	140,000,000	141,000,000	142,000,000	143,000,000	144,000,000	145,000,000	146,000,000	147,000,000	148,000,000	149,000,000	150,000,000	151,000,000	152,000,000	153,000,000	154,000,000	155,000,000	156,000,000	157,000,000	158,000,000	159,000,000	160,000,000	161,000,000	162,000,000	163,000,000	164,000,000	165,000,000	166,000,000	167,000,000	168,000,000	169,000,000	170,000,000	171,000,000	172,000,000	173,000,000	174,000,000	175,000,000	176,000,000	177,000,000	178,000,000	179,000,000	180,000,000	181,000,000	182,000,000	183,000,000	184,000,000	185,000,000	186,000,000	187,000,000	188,000,000	189,000,000	190,000,000	191,000,000	192,000,000	193,000,000	194,000,000	195,000,000	196,000,000	197,000,000	198,000,000	199,000,000	200,000,000	201,000,000	202,000,000	203,000,000	204,000,000	205,000,000	206,000,000	207,000,000	208,000,000	209,000,000	210,000,000	211,000,000	212,000,000	213,000,000	214,000,000	215,000,000	216,000,000	217,000,000	218,000,000	219,000,000	220,000,000	221,000,000	222,000,000	223,000,000	224,000,000	225,000,000	226,000,000	227,000,000	228,000,000	229,000,000	230,000,000	231,000,000	232,000,000	233,000,000	234,000,000	235,000,000	236,000,000	237,000,000	238,000,000	239,000,000	240,000,000	241,000,000	242,000,000	243,000,000	244,000,000	245,000,000	246,000,000	247,000,000	248,000,000	249,000,000	250,000,000	251,000,000	252,000,000	253,000,000	254,000,000	255,000,000	256,000,000	257,000,000	258,000,000	259,000,000	260,000,000	261,000,000	262,000,000	263,000,000	264,000,000	265,000,000	266,000,000	267,000,000	268,000,000	269,000,000	270,000,000	271,000,000	272,000,000	273,000,000	274,000,000	275,000,000	276,000,000	277,000,000	278,000,000	279,000,000	280,000,000	281,000,000	282,000,000	283,000,000	284,000,000	285,000,000	286,000,000